

12 YEARS PROFESSIONAL VIDEO EQUIPMENT MANUFACTURER



OEM&ODM

TOTAL SOLUTION


SUPPORT CUSTOMIZED


DESIGN AND MOLD CUSTOM











SHENZHEN TOPPER VISION LTD

store link: https://toppervision.en.alibaba.com

website: www.supersuncctv.com



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage.

PIR Motion Alarm




Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1.5W
Storage:	TF card/Cloud storage	Battery capacity:	9600mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	54mm×65mm×94mm



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage.

PIR Motion Alarm





Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1.5W
Storage:	TF card/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	53mm×75mm×73mm



Free plug-in, WiFi mobile phone remote monitoring
Fast wake-up and fast connection technology
PIR human detection, AI humanoid algorithm
Super low-power consumption and long time standby
Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z/T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1.5W
Storage:	TF/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/Two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	45mm×67mm×84mm



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1.5W
Storage:	TF card/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	60mm×65mm×94mm



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
SENSOR:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm、Up to 6m
Lens:	2.8mm	PIR distance:	Up to 3m	Speaker:	8Ω/1.5W
Storage:	TF card/Cloud storage	Battery capacity:	820mAh	MIC:	Voice capture distance> 3m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	One-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	60mm×65mm×94mm



Free plug-in, WiFi mobile phone remote monitoring
Fast wake-up and fast connection technology
PIR human detection, AI humanoid algorithm
Super low-power consumption and long time standby
Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z/T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/2.9"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/2W
Storage:	TF card/Cloud storage	Battery capacity:	15600mAh	PTZ Angle:	Horizontal 355°, Up/down 90°
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Solar Energy:	6W
Standby current:	200uA	Working current:	260uA	Size:	115mm×120mm×170mm



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage

PIR Motion Alarm



Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/2.9"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1W
Storage:	TF card/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Solar Energy:	2W
Standby current:	200uA	Working current:	260uA	Size:	70mm×165mm×75mm



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/2.9"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1W
Storage:	TF card/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Solar Energy:	2W
Standby current:	200uA	Working current:	260uA	Size:	70mm×195mm×135mm



Free plug-in, WiFi mobile phone remote monitoring
Fast wake-up and fast connection technology
PIR human detection, AI humanoid algorithm
Super low-power consumption and long time standby
Support cloud and TF card storage
Adjustable solar panel power supply



Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/3"	IR leds:	850/940nm, Up to 10m
Lens:	3.6mm	PIR distance:	Up to 10m	Speaker:	8Ω/1.5W
Storage:	TF card/Cloud storage	Battery capacity:	5200mAh	MIC:	Voice capture distance> 5m
Wake-up time:	<500ms	Solar Energy:	3W1A	Intercom:	Support one/two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	60mm×65mm×94mm



WiFi mobile phone remote monitoring Ranges up to 50ft night vision Motion Detection, AI humanoid algorithm Two-way Intercom, Voice warning Support cloud and TF card storage IP66 waterproof



Main chip:	T31N	Resolution:	1920×1080	WiFi:	2.4GHz/IEEE802.11b/g/n
Sensor:	1/2.7" CMOS	Min. Illumination:	0.01Lux/F1.2	IR leds:	8pcs array leds
Lens:	3.6mm	IR distance:	10-15m	PTZ:	Pan:355 degree,Tilt:90 degree
Storage:	TF card/Cloud storage	Waterproof:	IP66	Video compression	: H.264/H.265
Power supply:	DC12V	Audio input:	Yes	Motion detection:	Support human detection
Working power:	Max 2W	Audio output:	Yes	Alarm notification	: APP/Mobile notification



WiFi mobile phone remote monitoring Dual lights lighting, Full color night vision Motion Detection, Al humanoid algorithm Two-way Intercom, Voice warning Support cloud and TF card storage IP66 waterproof & weather resistant



Main chip:	T31N	Resolution:	2304×1296	WiFi:	2.4GHz/IEEE802.11b/g/n
Sensor:	1/2.7" CMOS	Min. Illumination:	0.01Lux/F1.2	IR leds:	Fual lights:IR leds/White leds
Lens:	3.6mm	IR distance:	5-10m	PTZ:	Pan:355 degree,Tilt:90 degree
Storage:	TF card/Cloud storage	Waterproof:	IP66	Video compression	: H.264/H.265
Power supply:	DC12V	Audio input:	Yes	Motion detection:	Support human detection
Working power:	Max 2W	Audio output:	Yes	Alarm notification	: APP/Mobile notification



WiFi mobile phone remote monitoring Easy installation, Plug and play Motion detection, AI humanoid algorithm Ranges up to 35ft night vision support WDR SATA interface, support 6TB HDD IP66 waterproof & weather resistant



Video output:	4CH/8CH optional	Resolution:	1920×1280	Wireless:	2.4GHz/IEEE802.11b/g/n
Sensor:	1/2.7" CMOS	Min. Illumination:	0.01Lux/F1.2	Video compression:	H.264/H.265
Lens:	3.6mm	IR distance:	5-10m	Real-time playback:	4CH
S / N ratio:	≥39dB	Waterproof:	IP66	Motion detection:	Support human detection
IR leds:	4pcs array leds	HDD:	Support 6TB HDD	Alarm notification:	APP/Mobile notification
Power supply:	DC12V	Connection:	WIFI/AP hotspot	Working temperatur:	30°C-50°C



Free plug-in, WiFi mobile phone remote monitoring Fast wake-up and fast connection technology PIR human detection, AI humanoid algorithm Super low-power consumption and long time standby Support cloud and TF card storage

PIR Motion Alarm






Main chip:	T21z/T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/2.9"	IR leds:	850/940nm, Up to 5m
Lens:	2.6mm	PIR distance:	Up to 3m	Speaker:	8Ω/1W
Storage:	TF card/Cloud storage	Battery capacity:	7800mAh	MIC:	Voice capture distance> 3m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/Two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	75mm×47mm×155mm



Free plug-in, WiFi mobile phone remote monitoring
Fast wake-up and fast connection technology
PIR human detection, AI humanoid algorithm
Super low-power consumption and long time standby
Support cloud and TF card storage

PIR Motion Alarm





Main chip:	T21z / T31z	Resolution:	1920×1080	WiFi:	MTK7682/2.4GHz
Sensor:	F23A	Image Sensor:	1/2.9"	IR leds:	850/940nm, Up to 5m
Lens:	2.6mm	PIR distance:	Up to 3m	Speaker:	8Ω/1W
Storage:	TF card/Cloud storage	Battery capacity:	: 7800mAh	MIC:	Voice capture distance> 3m
Wake-up time:	<500ms	Power supply:	Micro USB/DC5.0V	Intercom:	Support one/Two-way Intercom
Standby current:	200uA	Working current:	260uA	Size:	75mm×47mm×155mm



SHENZHEN TOPPER VISION LTD



Main products:

Video equipment, CCTV camera, electronic digital products

Store link: https://toppervision.en.alibaba.com/

Website: www.toppervision.com

www.supersuncctv.com

Add: 3F, C Block, Jiayuye Indrustrial Park, No.80, Dahe Road, Longhua District, Shenzhen, China